



P.O. Box 129 ♦ Boulder Creek ♦ CA 95006
1-800-540-0658

Property Name _____
Address _____
City, Zip _____
Phone # _____

Date _____
Contact _____
Unit # _____

Mattress and Box Spring Bed Bug Encasement Measurement Instructions

It is very important to measure the correct size of your mattress and box spring for a proper fit. Improper fitting encasements could reduce the effectiveness and could possibly causing a tear making the encasement ineffective.

Simply follow the instructions below, when measuring your box springs and mattresses to assure that you order the correct sized encasement. It can create problems when the encasements are too big or too small.

MATTRESSES AND BOX SPRINGS WILL HAVE DIFFERENT MEASUREMENTS BE SURE TO MEASURE EACH ONE SEPARATELY.

Use the following area to note the dimensions of the mattress and box spring. Always round up to the nearest whole inch.

It is best to use a tape measure to measure you mattress and box springs.

Mattress Height _____

Box Spring Height _____

Mattress Length _____

Box Spring Length _____

Mattress Width _____

Box Spring Width _____

1. Remove all linens, sheets, blankets, mattress covers, duvets, bed skirts, etc. from your mattresses and box springs.
2. Measure the HEIGHT – Measure the height of the mattress (round up to the nearest whole inch.) To measure the height of the mattress, measure from the bottom of the mattress where it rests on the box spring to the top of the mattress where you lay. If your mattress has a pillow top, be sure to include that in you measurements. To measure the box spring measure from the bottom of the box spring, where it rests on the frame to the top of the box spring where the mattress sets.
3. Measure the LENGTH – Measure the length of the mattress and box spring (round up to the nearest whole inch.) To measure the length of the mattress and box spring, measure form the top of the mattress and the head of the bed to the bottom of the mattress at the foot of the bed.
4. Measure the WIDTH – Measure the width of the mattress and box spring (round up to the nearest whole inch.) To measure the width of the mattress or box spring, measure from the left side of your mattress across to the right side.

IMPORTANT – The box spring measurements will be different from the mattress measurements.

If you have any questions regarding these instructions, please feel free to contact California American Exterminator on our toll-free number 1-800-540-0658 for assistance. To place order, please use Bed Bug Encasement Order Sheet and fax to 831-338-2435.

“State law requires that you be given the following information:

CAUTION: PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control operations are licensed and regulated by the Structural Pest Control Board and apply to pesticides which are registered and approved for use by the California Department of Food and Agriculture and the U.S. Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized.

ANTICOAGULANT REACTION:

If Rodenticide ingestion occurs, you may experience symptoms of mild shock or bleeding.

PESTICIDE REACTION:

If within 24 hours following application you experience symptoms similar to common seasonal illnesses comparable to the flu: “Contact your physician or poison control center and your pest control operator immediately.”

FOR FURTHER INFORMATION CONTACT ANY OF THE FOLLOWING:

- Your Resident Manager.....
- Poison Control Center.....(800) 764-7661
- Your County Health Department (Health Questions).....
- Your County Agricultural Commission (Application Information).....
- Structural Pest Control Board (Regulatory Information).....(916)561-8700
- 2005 Evergreen St., Ste. 1500 Sacramento, CA 95815