



Date: _____

Unit #: _____

PREPARATION INSTRUCTIONS FOR AN INTERIOR FLEA SPRAY TREATMENT

Dear Resident,

A professional Pest Control Technician will be at our complex on _____ between the hours of _____ AM/PM and _____ AM/PM.

THE FOLLOWING PROCEDURES MUST BE COMPLIED WITH IN ORDER TO SERVICE YOU OR YOU WILL FORFEIT THIS SERVICE AND BE CHARGED ACCORDINGLY.

PREPARATION REQUIREMENTS:

We require you to be out of the apartment/unit for a minimum of 3 hours after a spray treatment in order to allow the treatment to dry. Pets i.e.: cats, dogs, and birds should be removed from the unit treated as well. Fish tanks should be covered and the pump turned off during the treatment. You are also required to complete the following preparations:

- Take all articles off the floor areas (closets included)
- Launder bedding after treatment
- Vacuum floors *before* and *after* treatment and throw the vacuum bag away each time
- Do not shampoo carpets and/or floors for at least 30 days

The chemicals are a direct contact material, which means that the pest must make contact and then slowly dies. The material will be effective for 30-60 days, which will also affect further re-occurrence. Pets should be treated regularly with flea medicine to prevent future infestations.

Please notify the manager if you are unable to meet these specific requirements at least one day prior to your appointment. If you have any questions, please contact your community manager.

THANK YOU FOR YOUR COOPERATION

State law requires that you be given the following information:

CAUTION: PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control operations are licensed and regulated by the Structural Pest Control Board and apply to pesticides which are registered and approved for by use by the California Department of Food and Agriculture and the U.S. Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized.

ANTICOAGULANT REACTION:

If Rodenticide ingestion occurs, you may experience symptoms of mild shock or bleeding.

PESTICIDE REACTION:

If within 24 hours following application you experience symptoms similar to common seasonal illnesses comparable to the flu, contact your physician or poison control center and your pest control operator immediately.

FOR FURTHER INFORMATION CONTACT ANY OF THE FOLLOWING:

- Your Resident Manager.....
- California American Exterminator..... (800) 540-0658
- Poison Control Center..... (800) 222-1222
- Structural Pest Control Board (Regulatory Information).....(800) 737-8188

COUNTY HEALTH DEPARTMENTS

- Alameda (510) 267-8000
- Contra Costa (925) 313-6150
- Marin (415) 499-3030
- San Francisco (415) 554-2500
- San Mateo (650) 301-9971
- Santa Clara (408) 885-2010
- Santa Cruz (831) 454-4000
- Solano (707) 784-8259

AGRICULTURAL COMMISSIONERS

- Alameda (510) 670-5232
- Contra Costa (925) 646-5250
- Marin (415) 889-8601
- San Francisco (415)252-3939
- San Mateo (650) 363-4700
- Santa Clara (408) 299-2171
- Santa Cruz (831) 454-2620
- Solano (707) 421-7465

CHEMICAL INFORMATION

- ALPINE FLEA INSECTICIDE WITH IGR–Pyriproxyfen, Prallethrin, Dinotefuran
- ALPINE WSG - Dinotefura
- NYGUARD IGR CONCENTRATE-Pyriproxyfen
- PRECOR IGR CONCENTRATE-(S)-Methoprene



FOLLOW US AND JOIN THE CONVERSATION!

@CalAmericanExt

