San Francisco County Santa Cruz County San Mateo County So. Solano County



Contra Costa County Santa Clara County Alameda County So. Marin County

Date:	
Unit #:	

PREPARATION INSTRUCTIONS FOR AN INTERIOR TREATMENT FOR ANTS

Dear Resident,			
A professional Pest Control Techniciar	n will be at our complex on		between
the hours of	AM/PM and	AM/PM.	

THE FOLLOWING PROCEDURES MUST BE COMPLIED WITH IN ORDER TO SERVICE YOU OR YOU WILL FORFEIT THIS SERVICE AND BE CHARGED ACCORDINGLY.

PREPARATION REQUIREMENTS:

We require you to be out of the apartment/unit for a minimum of 3 hours after a spray treatment in order to allow the treatment to dry. Pets i.e.: cats, dogs, and birds should be removed from the unit treated as well. Fish tanks should be covered and the pump turned off during the treatment. You are also required to complete the following preparations:

- · Take all articles off the floor areas
- Clear areas from around the baseboards, windows, and doors
- Empty any cabinets, closets or drawers where ant activity has been observed and that are to be treated

The chemicals are a direct contact material, which means that the pest has to make contact and then slowly dies. The material will be effective for 30-60 days, which will also affect further re-occurrence.

Please notify the manager if you are unable to meet these specific requirements at least one day prior to your appointment. If you have any questions, please contact your community manager.

THANK YOU FOR YOUR COOPERATION

State law requires that you be given the following information:

CAUTION: PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control operations are licensed and regulated by the Structural Pest Control Board and apply to pesticides which are registered and approved for by use by the California Department of Food and Agriculture and the U.S. Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized.

ANTICOAGULANT REACTION:

If Rodenticide ingestion occurs, you may experience symptoms of mild shock or bleeding.

PESTICIDE REACTION:

If within 24 hours following application you experience symptoms similar to common seasonal illnesses comparable to the flu, contact your physician or poison control center and your pest control operator immediately.

FOR FURTHER INFORMATION CONTACT ANY OF THE FOLLOWING:

•	Your Resident Manager	
	California American Exterminator	
•	Poison Control Center	(800) 222-1222
	Structural Pest Control Board (Regulatory Information)	(800) 737-8188

COUNTY HEALTH DEPARTMENTS

 Alameda 	(510) 267-8000
 Contra Costa 	(925) 313-6150
• Marin	(415) 499-3030
 San Francisco 	(415) 554-2500
 San Mateo 	(650) 301-9971
 Santa Clara 	(408) 885-2010
 Santa Cruz 	(831) 454-4000
 Solano 	(707) 784-8259

AGRICULTURAL COMMISSIONERS

 Alameda 	(510) 670-5232
 Contra Costa 	(925) 646-5250
 Marin 	(415) 889-8601
 San Francisco 	(415)252-3939
 San Mateo 	(650) 363-4700
 Santa Clara 	(408) 299-2171
 Santa Cruz 	(831) 454-2620
 Solano 	(707) 421-7465

CHEMICAL INFORMATION

- ADVANCE 360A DUAL CHOICE BAIT STATIONS-Abamectin B-1
- ADVANCE 375A/SELECT GRANULAR BAIT-Abamectin B-1
- ADVANCE CARPENTER ANT BAIT-Abamectin B-1
- ADVION ANT BAIT ARENA-Indoxacarb
- · ADVION ANT GEL-Indoxacarb
- ALPINE WSG Dinotefuran
- DEMAND CS Lamda Chyalothrin

- MAXFORCE CARPENTER ANT BAIT GEL-Fipronil
- MAXFORCE GRANULAR BAIT-Hydramethylnon
- MAXFORCE FC ANT BAIT STATIONS-Fipronil
- MAXFORCE FC ANT KILLER BAIT GEL 27 GRM-Fipronil
- MAXFORCE QUANTUM ANT BAIT-Imidacloprid
- ONSLAUGHT Esten Valerate
- SUSPEND SC Deltamethrin, 1-2 Propanediol
- TEMPRID FX Imidacloprid







FOLLOW US AND JOIN THE CONVERSATION!

@CalAmericanExt











